

## Species diversity of opisthobranch molluscs on Lizard Island, Great Barrier Reef, Australia

Heike Wägele<sup>1</sup>, Ingo Burghardt<sup>2</sup>, Nils Anthes<sup>3</sup>, Jussi Evertsen<sup>4</sup>,  
Annette Klussmann-Kolb<sup>5</sup> and Gilianne Brodie<sup>6</sup>

<sup>1</sup> Museum König Bonn und Institut für Evolutionsbiologie, An der Immenburg 1, 53121 Bonn, Germany,  
hwaegle@evolution.uni-bonn.de

<sup>2</sup> Spezielle Zoologie, Ruhr-Universität Bochum, 44780 Bochum, Germany

<sup>3</sup> Animal Evolutionary Ecology, Zoological Institute, University of Tübingen,  
Auf der Morgenstelle 28, 72076 Tübingen, Germany

<sup>4</sup> Trondhjem Biological Station, Norwegian University of Science and Technology, 7491 Trondheim, Norway

<sup>5</sup> Zoologisches Institut, J.W. Goethe Universität, Siesmayerstrasse 70, 60054 Frankfurt, Germany

<sup>6</sup> Institute of Applied Sciences, University of the South Pacific, P.O. Box 1168, Suva, Fiji.

---

**Abstract** – During several visits from 1999 to 2004 to the Australian Museum Research Station on Lizard Island (LIRS) (Great Barrier Reef, Northern Section, Queensland, Australia) the authors collected 158 different opisthobranch species from the reefs and lagoon areas surrounding Lizard Island. The number of species found gives an estimate of the diversity of the opisthobranch fauna on the northern Great Barrier Reef. The manuscript also provides colour plates of most species found so far on Lizard Island that will facilitate species identification, data usage and further data collection.

**Key words:** Biodiversity, Opisthobranchia, Mollusca, Australia, Lizard Island, Great Barrier Reef

### INTRODUCTION

Coral reefs have more species per unit area than any other marine ecosystem but, with the exception of a few groups such as fishes and corals, most taxa are poorly known (Done *et al.* 1996). However, the wealth of coral reef biodiversity lies in small, cryptic invertebrates and there is a need for systematic inventories that address these types of fauna (Mikkelsen and Cracraft 2001). This was convincingly shown by an investigation of a coral reef in New Caledonia, where several discrete stations were intensively collected and a total of 2738 molluscan species were found, including 258 opisthobranchs (Bouchet *et al.* 2002).

Although faunal investigations of the Great Barrier Reef (GBR) are very important, for a better understanding of marine biodiversity and conservation on Australian coral reefs, many taxa are still inadequately understood with respect to their species diversity, seasonal and geographic distribution. Despite their often-dazzling appearance, this holds true for the Opisthobranchia, a relatively well known and diverse group of marine gastropod molluscs. The annotated work of Marshall and Willan (1999) on the opisthobranchs of Heron Island (at the southern end of the GBR Marine Park) is an

unusual exception and is of great assistance for many scientists working to identify and document information related to tropical opisthobranch species. In addition, several popular books with good photographs of opisthobranchs (seaslugs) are available and give an accurate impression of the general morphology and diversity of these fascinating animals. These publications usually cover both the Indonesian and Australian regions (e.g. Willan and Coleman 1984, Coleman 2001).

The Great Barrier Reef is the largest coral reef ecosystem in the world and has been designated both a Marine Park and a World Heritage Area (Chadwick and Green 2002). Our aim is to contribute to the knowledge of biodiversity and distribution of the opisthobranch mollusc fauna on the Great Barrier Reef by summarizing our data from several scientific visits to Lizard Island Research Station over a 5-year period. Lizard Island is a continental island surrounded by fringing reefs and is situated very close to the northern section of the GBR Marine Park, approximately 1200 km north of Heron Island where the work of Marshall and Willan (1999) was conducted. This is the first time that a complete inventory of collected opisthobranchs from Lizard Island is presented.

**Table 1** Species list of Lizard Island's opisthobranchs. HW and GB during July 1999 and July 2002, AKK in July 1999, IB during July to September 2002 and August to September 2004, NA during January to February 2003 and October 2003 to February 2004, and JE during July 2003. The species collected in the aquaria of the research station were probably sucked in by the seawater system, which is supplied via an inlet pipe in front of the research station (Casuarina Beach) in a depth of about 1 to 2 m. The last column indicates further published information on the material. Some species are described with a general Indo Pacific distribution but only localities north of the GBR. When no literature is known to us with the GBR explicitly mentioned as locality, we consider the findings on Lizard Island as new to the GBR, despite the general assumption of broad distribution. This is indicated with a +. R+ indicates, that this species is mentioned in Bill Rudman's sea slug forum at the Australian Museum in Sydney ([www.seaslugforum.net](http://www.seaslugforum.net)) to occur in the GBR. For the new species, a question mark indicates that distribution is not known, but this species is probably new to the GBR

Higher hierarchy	Species	Date of observation	Loc. of material	Site and habitat	New to GBR	Figured and/or published in:
<b>Acteonoidea</b>						
	<i>Micromelo undata</i> (Bruguiere, 1792)	July 2002	HW	North Point		Fig. 6A Wägele and Klussmann-Kolb, 2005
	<i>Pupa nitidula</i> (Lamarck, 1816)	July 2002 Jan 2004	HW	Mangrove Beach intertidal Casuarina Beach intertidal		Fig. 6B
	<i>Pupa solidula</i> (Linnaeus, 1758)	July 2002	HW	Mangrove Beach intertidal		Fig. 6C Wägele and Klussmann-Kolb, 2005
	<i>Pupa sulcata</i> (Gmelin, 1791)	July 2002	HW	Mangrove Beach intertidal		Fig. 6D
<b>Cephalaspidea</b>						
	Aglajidae spec. 1	Oct. – Dec. 2003	NA	Casuarina Beach	?	Fig. 3A
	Aglajidae spec. 2	Dec. 2003 – Jan. 2004	NA	Casuarina Beach	?	Fig. 3B
	Aglajidae spec. 3	Aug.–Sept. 2004	IB	Horseshoe Reef	?	Fig. 3C
	<i>Atys</i> spec.	Nov. 2003	NA	Coconut Beach	?	Fig. 3D
	<i>Atys cylindrica</i> (Helbling, 1779)	July 2002	HW	Mangrove Beach intertidal One Tree		Fig. 6E
	<i>Bulla vernicosa</i>	Dec. 2003		Casuarina Beach		Fig. 6F
	Cephalaspidea spec.	Dec. 2003	NA	Casuarina Beach	?	Fig. 3G
	<i>Chelidonura electra</i> Rudman, 1970	Jan. 2003, Nov. 2003, Jan. 2004	NA	Blue Lagoon, Horseshoe Reef		Fig. 6G
	<i>Chelidonura fulvipunctata</i> Baba, 1938	Dec. 2003 – Jan. 2004	NA	Casuarina Beach		Fig. 6H
	<i>Chelidonura hirundinina</i> (Quoy and Gaimard, 1833)	Jan./Feb. 2003 Oct. 2003–Feb. 2004	NA	Mangrove Beach, Casuarina Beach, Loomis Beach		Fig. 6I Anthes et al. 2005
	<i>Chelidonura inornata</i> Baba, 1949	July 1999 July 2002 Sept. 2002 Jan. 2003 June 2003 Oct. 2003–Jan. 2004	HW NA	Mermaid Cove, Coral rubble in Blue Lagoon (bommies) North Point Blue Lagoon Mangrove Beach Various reefs		Fig. 6K Wägele et al. 2003 Vonnemann et al. 2005
	<i>Chelidonura pallida</i> Risbec, 1951	July 1999 Nov. 2003 Jan. 2004	HW NA	Mermaid Cove Watson Bay, Blue Lagoon		Fig. 6L

Table 1 (cont.)

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Chelidonura sandrana</i> Rudman, 1973	Jan. 2003 Oct. 2003 – Feb. 2004 Aug.–Sept. 2004	NA IB	Blue lagoon, Casuarina Beach Loomis Reef, Casuarina Beach	+	Fig. 6M, N Anthes and Michiels 2005 Anthes <i>et al.</i> 2006
	<i>Chelidonura varians</i> Eliot, 1903	July 1999 June 2003 Nov. 2003 – Jan. 2004	HW NA	Coral rubble in Blue Lagoon Ghost Beach, Cobia Hole Blue lagoon	R+	Fig. 6O
	<i>Gastropteron bicornutum</i> Baba and Tokioka, 1965	Jan. 2004	NA	Casuarina Beach coral sand	+	Fig. 7A
	<i>Gastropteron</i> spec.	July 2002	HW	Bird Island inside the Blue Lagoon	?	Fig. 3E
	<i>Haminoea cymbalum</i> (Quoy and Gaimard, 1833)	Jan. 2003 Dec. 2003		Off Casuarina Beach		Fig. 7B
	<i>Melanochlamys</i> spec.	Jan. 2003, Oct. 2003 – Jan. 2004	NA	Horseshoe Reef, coral sand Blue Lagoon, Casuarina Beach	?	Fig. 3F <i>Melanochlamys</i> spec.1 in Marshall and Willan 1999
	<i>Phanerophthalmus smaragdinus</i> (Rüppell and Leuckart, 1830)	July 1999 Aug.–Sept. 2004	HW IB	Ghost Beach intertidal Coconut Beach		Fig. 7C Vonnemann <i>et al.</i> 2005 Wägele and Klussmann-Kolb, 2005
	<i>Philinopsis cyanea</i> (Martens, 1879)	Jan./Feb. 2003 Oct. 2003 – Jan. 2004	NA	Off Casuarina Beach, Loomis Reef, Mangrove Beach Blue Lagoon, Casuarina Beach		Fig. 7D
	<i>Philinopsis gardineri</i> (Eliot, 1903)	Jan./Febr. 2003 June 2003 Nov. 2003 – Jan. 2004	NA	Coconut Beach, South Island Off Casuarina Beach, Palfrey Island Blue Lagoon		Fig. 7E Wägele and Klussmann-Kolb, 2005
	<i>Philinopsis lineolata</i> (H. and A. Adams, 1854)	Dec. 2003 – Jan. 2004	NA	Casuarina Beach, Osprey Islet coral rubble		Fig. 7H
	<i>Philinopsis pilsbryi</i> (Eliot, 1900)	Jan. 2004	NA	Bird Islet, coral rubble		Fig. 7G
	<i>Philinopsis reticulata</i> (Eliot, 1903)	Jan. 2003 June 2003 Nov. 2003 – Jan. 2004 Aug.–Sept. 2004	NA IB	Off Casuarina Beach, Loomis Reef, Mangrove Beach, Watson Bay South Island, Bird Island, Palfrey Island, Casuarina Beach	R+	Fig. 7F
	<i>Sagaminopteron ornatum</i> Tokioka and Baba, 1964	July 1999, July 2002 Jan. 2004	HW NA	Off Bird Island outer reef, Coral rubble in Blue Lagoon (bommies), Coral head Blue Lagoon		Fig. 7I Wägele and Klussmann-Kolb, 2005

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
Anaspidea	<i>Siphopteron cf. pohnpei</i>	Oct. 2003 – Jan. 2004	NA	Casuarina Beach, Watson Bay		Fig. 3H
	<i>Siphopteron quadrispinosum</i> Gosliner, 1989	Oct. 2003 – Jan. 2004	NA	Casuarina Beach	+	Fig. 7K
	<i>Siphopteron cf. tigrinum</i> Gosliner, 1989	Sept. 2002	HW	North Point		Fig. 7L
Sacoglossa	<i>Aplysia dactylomela</i> Rang, 1828	July 2002	HW	Coconut Beach intertidal		
	<i>Aplysia parvula</i> Guilding in Murch, 1863.	Jan. 2004		Horseshoe Reef		Fig. 8A
	<i>Bursatella leachii</i> de Blainville, 1817	Dec. 2003		North Point		Fig. 8B
	<i>Dolabella auricularia</i> (Lightfoot, 1786)	July 2002 June 2003 Dec. 2003	HW	Coconut Beach intertidal Coconut Beach Lizard Aquarium		Fig. 8C
	<i>Notarchus indicus</i> Schweigger, 1820	Feb 2003		LIRS, Aquarium		Fig. 8D
	<i>Stylocheilus striatus</i> (Quoy and Gaimard, 1832)	Sept. 2002 Jan. 2003 June 2003 Dec. 2003		LIRS, Aquarium Off Casuarina Beach		Fig. 8E We follow the discussion in Rudman (seaslugforum) and consider the species found here as <i>S. striatus</i>
	<i>Costasiella usagi</i> Ichikawa, 1993	Dec. 2003 – Jan. 2004	NA	Watson Bay	+	Fig. 8F
	<i>Costasiella cf. ocelligera</i>	Dec. 2003 – Jan. 2004	NA	Watson Bay, Casuarina Beach	?	Fig. 4F
Anaspidea	<i>Cyerce nigricans</i> (Pease, 1866)	July 1999 Aug. 2002 Jan. 2004	HW	Coconut Beach intertidal Casuarina Beach coral sand		Fig. 8G Wägele and Johnson 2001 Vonnemann et al 2005
	<i>Cyerce</i> spec. 1	July 2002	HW	Coconut Beach intertidal	?	Fig. 4A
	<i>Cyerce</i> spec. 2	Sept. 2002 Aug.–Sept. 2004	HW IB	Between Bird and South Island intertidal	?	Fig. 4B
	<i>Elysia cf. amakusana</i> Baba, 1955	Dec. 2003 Jan. 2004	NA	Blue Lagoon Mangrove Beach	+	Fig. 8H

Table 1 (cont.)

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Elysia bennettiae</i> Thompson, 1973	July 1999 July 2002	HW IB	Ghost Beach intertidal		Fig. 8I Wägele and Johnson 2001 as <i>E. expansa</i>
	<i>Elysia ornata</i> (Swainson, 1840)	Apr. 1990 July 1999, July 2002 Aug. 2002 June 2003 Jan. 2004 Aug.-Sept. 2004	HW IB	Blue Lagoon, Osprey Islet, Bird Island inside of Blue Lagoon Palfrey Island, Loomis Reef, Horseshoe Reef, North Point		Fig. 8M
	<i>Elysia</i> spec.	Aug. 2002 Aug.-Sept. 2004	HW IB	Blue Lagoon, Bird Island, Horseshoe Reef	?	Fig. 4C, D (2 pictures)
	<i>Elysia tomentosa</i> Jensen, 1997	Sept. 2002 Aug.-Sept. 2004	HW IB	LIRS, aquarium Loomis Reef, Horseshoe Reef	?	Fig. 8K
	<i>Elysiella pusilla</i> Bergh, 1872	July 1999 July 2002 June 2003	HW	South Island intertidal, coral rubble in Blue Lagoon, Coconut Beach intertidal, Casuarina Beach		Fig. 8M Wägele and Klussmann-Kolb, 2005
	<i>Oxynoe viridis</i> (Pease, 1861)	June 2003 Jan. 2004		Coconut Beach, Casuarina Beach		Fig. 8N Wägele and Klussmann-Kolb, 2005
	<i>Plakobranchus ocellatus</i> Hasselt, 1824	July 1999 July 2002 June 2003 Dec. 2003 - Jan. 2004 Aug.-Sept. 2004	HW IB	Coral rubble in Blue Lagoon, bommies in Blue Lagoon, Mangrove Beach intertidal, Loomis Beach Casuarina Beach, Mangrove Beach, Palfrey Island Blue Lagoon, Casuarina Beach, Coconut Beach Loomis, Horseshoe Reef		Fig. 9A Wägele and Johnson 2001 Wägele and Klussmann-Kolb, 2005 Wägele 2004
	<i>Polybranchia orientalis</i> (Kelaart, 1858)	July 1999 July 2002 Sept. 2002	HW IB	South Island intertidal Coral rubble in Blue		Fig. 9B
	<i>P. cf. orientalis</i>	Aug.-Sept. 2004		Lagoon off Bird Island Coconut Beach intertidal Coconut Beach		
	<i>Thuridilla carlsoni</i> Gosliner, 1995	July 2002 Jan. 2004 Aug.-Sept. 2004	HW IB	Coral rubble in Blue Lagoon Horseshoe Reef Loomis Reef, Bird Is		Fig. 9C

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Thuridilla gracilis</i> (Risbec, 1928)	July 1999 Jan./Feb. 2003 June 2003 Jan. 2003 Aug.–Sept. 2004	HW IB	Ghost Beach intertidal, Off Casuarina Beach, Mermaid Cove, Ghost Beach, Casuarina Beach, Coconut Beach, Mangrove Beach Blue Lagoon, Horseshoe Reef Loomis Reef, Coconut Beach, Bird Island, Horseshoe Reef, Washing Machine, North Point		Fig. 9F Wägele and Johnson 2001 as <i>T. ratna</i> ;
	<i>Thuridilla kathae</i> Gosliner 1995	Aug.–Sept. 2004	IB	Loomis Reef		Fig. 9D
	<i>Thuridilla livida</i> (Baba, 1955)	Aug.–Sept. 2004	IB	Bird Island	+	Fig. 9E
	<i>Thuridilla multimarginata</i> Gosliner, 1995	Jan. 2004		Blue lagoon patch reef		Fig. 9H
	<i>Thuridilla neona</i> Gosliner, 1995	Aug.–Sept. 2004	IB	Bird Island		Fig. 9G
	<i>Thuridilla spec.</i> Coleman 2001	Jan. 2004	NA	Horseshoe Reef	?	Fig. 4E
Pleurobranchoidea						
	<i>Berthellina citrina</i> (Rüppell and Leuckart, 1828)	July 1999 Aug.–Sept. 2004	HW IB	Ghost Beach intertidal, Coconut Beach, Bird Island		Fig. 9K Wägele and Klussmann-Kolb, 2005
	<i>Berthella stellata</i> (Risso, 1826)	July 1999	HW	Intertidal, coral rubble in Blue Lagoon		Fig. 9I
	<i>Pleurobranchus forskalii</i> (Ruppell and Leuckart, 1828)	Jan. 2004		Casuarina Beach coral rubble		Fig. 9M
	<i>Pleurobranchus grandis</i> Pease, 1868	Nov. 2003		Watson Bay		Fig. 9L
Nudibranchia						
Doridoidea						
	<i>Analogium striatum</i> (Eliot, 1908)	Aug. 2002	HW	Blue Lagoon		Fig. 9N
	<i>Ardeadoris egretta</i> Rudman, 1984	July 2002	HW	North Point		
	<i>Cadlinella ornatissima</i> (Risbec, 1928)	Aug.–Sept. 2004	IB	Loomis		Fig. 9O
	<i>Ceratosoma sinuata</i> (van Hasselt, 1824)	July 2002	HW	Coral rubble in Blue Lagoon off Bird Island		

Table 1 (cont.)

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Ceratosoma tenue</i> Abraham, 1876	Dec. 2003 / Jan. 2004		Watsons Bay		Fig. 9P
	<i>Chromodoris annae</i> Bergh, 1877	July 2002	HW	Coconut Bay intertidal, Mermaid Cove, North Point		Fig. 10A
	<i>Chromodoris coi</i> (Risbec, 1956)	Jan. 2003		Blue Lagoon		Fig. 10B
	<i>Chromodoris colemani</i> Rudman, 1982	July 1999, July 2002 Jan. 2004	HW	Off Bird Island outer reef, Coral rubble Bird Islet		Fig. 10C
	<i>Chromodoris daphne</i> (Angas, 1864)	July 1999	HW	Ghost Beach intertidal		Fig. 10D
	<i>Chromodoris decora</i> (Pease, 1860)	July 2002 Aug. 2002 Aug.-Sept. 2004	HW IB	South Island intertidal, Coconut Beach intertidal, Bird Island		Fig. 10F
	<i>Chromodoris elizabethina</i> Bergh, 1877	July 2002 Jan. 2004	HW	North Point, Lizard Head outer crest		Fig. 10E
	<i>Chromodoris fidelis</i> (Kelaart, 1858)	July 1999 Jan. 2004 Aug.-Sept. 2004	HW IB	Coral rubble in Blue Lagoon, Wickies Reef Loomis Reef		Fig. 10G
	<i>Chromodoris geometrica</i> Risbec, 1928	July 2002 Aug.-Sept. 2004	HW IB	Cobia Hole Bird Island		Fig. 10H
	<i>Chromodoris lineolata</i> (Hasselt, 1824)	July 1999 Aug.-Sept. 2004	HW IB	Ghost Beach intertidal, Horseshoe Reef		Fig. 10I
	<i>Chromodoris lochi</i> Rudman, 1982	Sept. 2002 Nov. 2003 / Jan. 2004	HW	North Direction Island, Coconut Beach outer crest		Fig. 10K
	<i>Chromodoris rubrocornuta</i> Rudman, 1985	July 1999	HW	Coral rubble in Blue Lagoon		
	<i>Chromodoris verrieri</i> (Crosse, 1875)	Dec. 2003		Watsons Bay		Fig. 10L
	<i>Crimora lutea</i> Baba, 1949	Jan. 2003		Horseshoe Reef		Fig. 10N
	<i>Dendrodoris cf. elongata</i> Baba, 1936	July 1999		locality not noted		Fig. 10M
	<i>Dendrodoris nigra</i> (Stimpson, 1855)	July 1999 July 2002 Sept. 2002 Aug.-Sept. 2004	HW IB	Ghost Beach intertidal, coral rubble in Blue Lagoon, Blue Lagoon Loomis Reef		Fig. 10O

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Dendrodoris tuberculosa</i> (Quoy and Gaimard, 1832)	Aug.-Sept. 2004	IB	Bird Island		
	<i>Discodoris</i> spec.	Aug. 2002	HW	Coconut Beach intertidal	?	Fig. 4G
	<i>Glossodoris atromarginata</i> (Cuvier, 1804)	July 2002 Aug. 2002 Aug.-Sept. 2004	HW	Ghost Beach, Coconut Beach		Fig. 10P
	<i>Glossodoris cincta</i> (Bergh, 1888)	July 2002 Aug.-Sept. 2004	IB	Blue Lagoon off South Island, intertidal Off Casuarina Beach		
	<i>Glossodoris hikuerensis</i> (Pruvot-Fol, 1954)	July 2002	HW	Loomis Reef		Fig. 10R
	<i>Glossodoris pallida</i> (Rüppell and Leuckart, 1830)	July 1999	HW	Off Bird Island outer reef		Fig. 10S
	<i>Goniodoris</i> spec.	Aug.-Sept. 2004	IB	Loomis Reef	?	Fig. 5A
	<i>Gymnodoris alba</i> (Bergh, 1877)	July 1999 Dec. 2003 Aug.-Sept. 2004	HW IB	Mermaid Cove, Casuarina Beach, Blue Lagoon, Loomis Reef, Bird Island, Horseshoe Reef, North Point		Fig. 10T
	<i>Gymnodoris ceylonica</i> (Kelaart, 1858)	Dec. 2003 Aug.-Sept. 2004	IB	Casuarina Beach, Off Casuarina Beach		Fig. 11A
	<i>Gymnodoris okinawae</i> Baba, 1936	July 2002	HW	Mermaid Cove North Point		Fig. 11C
	<i>Gymnodoris citrina</i>	July 2002	HW	North Point	?	Fig. 11B
	<i>Gymnodoris</i> spec. 1	July 2002	HW	North Point	?	Fig. 5C
	<i>Gymnodoris</i> spec. 2	July 1999 Dec. 2003	HW	Ghost Beach intertidal, Horseshoe Reef	?	Fig. 5D Coleman 2001
	<i>Halgerda aurantiumaculata</i>	June 2003		Cobia Hole		
	<i>Halgerda</i> cf. <i>batangas</i> Carlson and Hoff, 2000	Aug.-Sept. 2004	IB	North Point	?	Fig. 11D
	<i>Hexabranchus sanguineus</i> (Rüppell and Leuckart, 1830) (egg clutch)	Aug. 2002 June 2003 Jan. 2004 Aug.-Sept. 2004	HW NA IB	Coconut Beach intertidal, Casuarina Beach, Watson Bay, Horseshoe Reef		Fig. 11E
	<i>Hypselodoris bullocki</i> (Collingwood, 1881)	July 2002 Nov. 2003	HW	North Point, Mangrove Beach		Fig. 11F
	<i>Hypselodoris maculosa</i> Pease, 1871	July 1999 Aug.-Sept. 2004	HW IB	Off Bird Island outer reef, Horseshoe Reef		Fig. 11G

Table 1 (cont.)

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Hypselodoris whitei</i> (Adams and Reeve, 1850)	Aug.–Sept. 2004	IB	Coconut Beach, Bird Island		Fig. 11H
	<i>Kaloplocamus acutus</i> Baba, 1949	Jan. 2004		Reef inside Bird islet		Fig. 11M
	<i>Nembrotha cristata</i> Bergh, 1877	Apr. 1990 July 1999 Sept. 2002 June 2003 Jan. 2004 Aug.–Sept. 2004	HW IB	Loomis Beach, Horseshoe Reef, Bird Island Reef, Blue Lagoon, Casuarina Beach, Loomis Reef, Bird Island		Fig. 11I
	<i>Nembrotha kubaryana</i> Bergh, 1877	July 1999, July 2002 Aug./Sept. 2002 Jan. 2003 June 2003 Nov. 2003 Aug.–Sept. 2004	HW IB	Ghost Beach, Horseshoe Reef, off Bird Island outer reef, North Point, Blue Lagoon, Loomis Reef, Bird Island inner reef, Washing Machine, Palfrey Island, Coconut Beach, Bird Island, Horseshoe Reef		Fig. 11K Wägele and Johnson 2001
	<i>Nembrotha lineolata</i> Bergh, 1905	Aug. 2002	HW	Bird Island Reef		Fig. 11L
	<i>Nembrotha milleri</i> Gosliner and Behrens, 1997	Nov./Dec. 2003		Casuarina Beach		
	<i>Notodoris citrina</i> Bergh, 1875	Aug.–Sept. 2004	IB	Horseshoe Reef		Fig. 11N
	<i>Notodoris gardineri</i> Eliot, 1903	July 1999 July 2002 Jan. 2003 June 2003 Jan. 2004	HW	Osprey Islet, Mermaid cove, off Bird Island outer reef, North Point, Turtle Beach, Horseshoe Reef, South Island, Coconut Beach, Blue Lagoon		Fig. 11O,P
	<i>Notodoris minor</i> Eliot, 1904	July 2002 Jan. 2003 Mar. 1990 June 2003 Jan. 2004 Aug.–Sept. 2004	HW IB	Off Bird Island outer reef, Mermaid Cove Horseshoe Reef, Blue Lagoon, North Point		Fig. 11R
	<i>Noumea crocea</i> Rudman, 1986	Aug.–Sept. 2004	IB	Bird Island		Fig. 11S
	<i>Noumea romeri</i> Risbec, 1928	July 1999	HW	Osprey Islet		Fig. 12A
	<i>Noumea varians</i> (Pease, 1871)	Aug.–Sept. 2004	IB	Horseshoe Reef		Fig. 12B
	<i>Pectenodoris trilineata</i> (Adams and Reeve, 1850)	Aug.–Sept. 2004	IB	Bird Island		Fig. 12C

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Phyllidia coelestis</i> Bergh, 1905	July 2002	HW	Bird Island outer reef, Blue Lagoon		Fig. 12E
	<i>Phyllidia ocellata</i> Cuvier, 1804	July 2002 Jan. 2004	HW	Cobia Hole, Osprey islet		Fig. 12D
	<i>Phyllidia varicosa</i> Lamarck, 1801	Oct. 2001 June 2003 Nov. 2003 Aug.-Sept. 2004	IB	Mac's Reef, Horseshoe Reef, Blue Lagoon, Loomis Reef, Coconut Beach		Fig. 12F
	<i>Phyllidiella lizae</i> Brunckhorst, 1993	July 1999 Aug.-Sept. 2004	HW IB	Ghost Beach intertidal, Loomis Reef, off Casuarina Beach		Fig. 12H
	<i>Phyllidiella pustulosa</i> (Cuvier, 1804)	July 1999, July 2002 Jan./Feb. 2003 June 2003 Nov. 2003 – Jan. 2004 Aug.-Sept. 2004	HW IB	Palfrey Island, Mac's Reef, Ghost Beach intertidal North Point, Mermaid Cove, Blue Lagoon, South Island outer reef crest, North Point		Fig. 12G
	<i>Platydoris scabra</i> (Cuvier, 1804)	July 1999, July 2002 Aug./Sept. 2002	HW	Coconut Beach intertidal,		Fig. 12I
	<i>Risbecia tryoni</i> (Garrett, 1873)	July 1999 Jan. 2003 June 2003 Nov. 2003 Aug.-Sept. 2004	HW IB	South Island intertidal Blue Lagoon, Palfrey Island, Mangrove Beach, Loomis Reef		Fig. 12K
	<i>Robostra gracilis</i> (Bergh, 1877) <i>R. cf gracilis</i>	July 1999 Aug. 2002 Jan. 2003 Nov. 2003 – Jan. 2004 Aug.-Sept. 2004	HW IB	Osprey Islet, Loomis Reef, Off Bird Island, North Point, Osprey Island, Palfrey Island, Horseshoe Reef		Fig. 12L,M Wägele and Johnson 2001
	<i>Robostra luteolineata</i> (Baba, 1936)	Dec. 2003		Off South Island outer Reef		
	<i>Tambja limaciformis</i> (Eliot, 1908)	Oct. 2003		Horseshoe Reef		Fig. 12S
	<i>Tambja morosa</i> (Bergh, 1877)	July 1999	HW	Off Bird Island outer reef		Fig. 12O
	<i>Thecacera</i> spec.	Aug. 2002	HW	Cobia Hole	+	Fig. 5B
	<i>Thorunna furtiva</i> Bergh, 1878	July 1999, July 2002	HW	North Point Blue Lagoon		Fig. 12N
	<i>Trapania cf. aurata</i> Rudman, 1987	July 2002	HW	North Point		Fig. 12P
	<i>Trapania reticulata</i> Rudman, 1987	Aug. 2002	HW	Bird Island Reef		Fig. 12R

Table 1 (cont.)

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
Dendronotoidea	<i>Bornella stellifer</i> (A. Adams and Reeve in A. Adams, 1848)	July 1999, July 2002	HW HW	Ghost Beach intertidal, South Island intertidal		Fig. 13A
	<i>Doto</i> spec.	July 2002	HW	Coral rubble in Blue Lagoon	?	Fig. 5E
	<i>Melibe mirifica</i> (Allan, 1932)	Jan 2004		Watson Bay		Fig. 13B
"Arminoidea"	<i>Dermatobranchus</i> spec.	July 2002	HW	North Point		Fig. 5F Wägele and Johnson 2001
	<i>Dermatobranchus fortunata</i> Bergh, 1888	Sept. 2002 Aug.–Sept. 2004	HW IB	Coconut Beach intertidal, Horseshoe Reef	?	Fig. 13C Burghardt and Wägele 2006
	<i>Lomanotus vermiciformis</i> Eliot, 1908	July 1999	HW	Off Bird Island outer reef		No picture
Aeolidoidea	<i>Aeolid</i> spec. 1	Dec. 2003	NA	Casuarina Beach	?	Fig. 5L
	<i>Aeolid</i> spec. 2	Aug. 2004	IB	Loomis		Fig. 5G
	<i>Cerberilla annulata</i> (Quoy and Gaimard, 1832)	Aug. 2002 Nov. / Dec. 2003	HW NA	Coconut Beach intertidal Loomies Reef sand flat	+	Fig. 13D
	<i>Cerberilla</i> spec.	Jan. 2004	NA	Casuarina Beach	?	Fig. 5M
	<i>Cuthona sibogae</i> (Bergh, 1905)	July 1999, July 2002	HW	Off Bird Island outer reef, Cobia Hole		Fig. 13E Wägele <i>et al.</i> 2003
	<i>Embletonia gracilis</i> Risbec, 1928	July 2002 Sept. 2002	HW	South Island intertidal, Coconut Beach	+	Fig. 13F, G
	<i>Eubranchus rubropunctatus</i> Edmunds, 1969	July 1999	HW	South Island intertidal		
	<i>Eubranchus</i> spec.	Nov. 2003		Casuarina Beach	?	Fig. 5H
	<i>Facelina rhodopos</i> Yonow, 2000	Sept. 2002	HW	Coconut Beach	+	Fig. 13H
	<i>Favorinus japonicus</i> Baba, 1949	Aug.–Sept. 2004	IB	Loomis Reef		Fig. 13I
	<i>Flabellina bicolor</i> (Kelaart, 1858)	July 2002 Sept. 2002 Nov. / Dec. 2003 Aug.–Sept. 2004	HW IB	North Point, Coconut Beach, Blue Lagoon, Bird Island		Fig. 13K
	<i>Flabellina bilas</i> (Gosliner and Willan, 1991)	Dec. 2003		Wickies Reef		Fig. 13L
	<i>Flabellina exoptata</i> Gosliner and Willan, 1991	July 1999 Febr. 2003 Nov. 2003 Jan. 2004	HW	Osprey Islet, off Bird Island outer reef, Horseshoe Reef, Reef crest Bird Islet, Watson Bay, Blue Lagoon		Fig. 13N Wägele and Johnson 2001

Higher Hierarchy	Species	Date of Observation	Loc. of material	Site and Habitat	New to GBR	Figured and/or published in:
	<i>Flabellina rubrolineata</i> (O'Donoghue, 1929)	July 2002 Jan. 2004 Aug.–Sept. 2004	HW IB	North Point, Coconut Beach, Washing Machine		Fig. 13M
	<i>Godiva</i> spec.	Jan. 2003 Oct. 2003 – Jan. 2004	NA	Casuarina Beach	?	Fig. 5K Wells and Bryce 2000
	<i>Godiva</i> cf. <i>quadricolor</i> (Barnard, 1927)	Jan. 2004		Casuarina Beach, Lizard Head	+	Fig. 13R
	<i>Phestilla lugubris</i> (Bergh, 1870)	Aug.–Sept. 2004	IB	Loomis Reef		Fig. 13O Burghardt and Wägele 2006
	<i>Phidiana indica</i> (Bergh, 1896)	Jan. 2004		Bird Islet		Fig. 13P
	<i>Phyllodesmium briareum</i> (Bergh, 1869)	July 1999, July 2002	HW	Cobia Hole, Cobia Hole, North Point		Fig. 13S Wägele and Johnson 2001 Wägele et al. 2003 Burghardt et al. 2005 Burghardt and Wägele 2006
	<i>Phyllodesmium</i> cf. <i>hyalinum</i> Ehrenberg, 1831	Aug.–Sept. 2004	IB	Loomis Reef, Horseshoe Reef		Fig. 13U,V
	<i>Phyllodesmium longicirrum</i> (Bergh, 1905)	Oct. 2001 Jan. 2003 June 2003 Nov. 2003 – Jan. 2004	NA	Washing Machine, Blue Lagoon, Horseshoe Reef, Wickies Reef		
	<i>Phyllodesmium</i> spec.	Aug.–Sept. 2004	IB	Bird Island	+	Fig. 5I
	<i>Pteraeolidia ianthina</i> (Angas, 1864)	July 1999, July 2002 Sept. 2002 June 2003 Nov. 2003 – Jan. 2004	HW	South Island, Osprey Islet, Coconut Beach intertidal, Blue Lagoon, Bird Island, Mangrove Beach, Palfrey Island, Bird Islet outer crest, crest, Watson Bay		Fig. 13T Wägele and Johnson 2001 Burghardt et al. 2005

Table 2 Comparison of the total number of opisthobranch species (data taken from literature) from different Indo-Pacific areas.

Area	Authors	Total number of species	Collection Time Period
Papua New Guinea	Gosliner 1992	538	Not indicated
Great Barrier Reef	Marshall and Willan 1999	414	18 years episodic
Heron Island	Marshall and Willan 1999	261	18 years episodic
Fiji Islands	Brodie and Brodie 1990	251	4 years continuous
Marshall Islands	Johnson and Boucher 1983	101	3 years continuous
Lizard Island	Present paper	158	5 years episodic

side of the Island were relatively under sampled because of rough weather conditions during many visits. Therefore, the species numbers presented here are preliminary in terms of the coverage of different habitat types.

Data of opisthobranch species richness from other tropical Pacific areas are available i.e. New Caledonia (Bouchet *et al.* 2002), Papua New Guinea (Gosliner 1992), Fiji (Brodie and Brodie 1990, 1995) and Marshall Islands (Johnson and Boucher 1983) (see Figure 2). Direct comparison is not possible, since these areas differ geographically and in size, and collection times were much longer in some studies than others (see table 2). E.g., collection on Heron Island (Great Barrier Reef) occurred over a period of 18 years with 27 field trips (Marshall and Willan 1999). Nevertheless, similar trends in the different opisthobranch subgroups are obvious for all investigated regions. All major groups of the Opisthobranchia are represented in comparable proportions and the Doridoidea are the species richest group.

Since Mikkelsen (1996, 2002) published her detailed phylogenetic analyses on the Cephalaspidea, the Acteonoidea are excluded from the Cephalaspidea, or even from the Opisthobranchia. For this reason Marshall and Willan (1999) did not include this taxon in their extensive studies on Heron Island. Therefore, in Figure 2, a zero is indicated in these two sections of their data (Great Barrier Reef column nr. 3, Heron Island column nr. 4), indicating lack of data, but not absence of this group. Gosliner (1992) did not list the Acteonoidea separately for Papua New Guinea, but the species numbers are added to the Cephalaspidea (71 species in total). All other checklists listed the Acteonoidea as a separate group as we do in this study.

Anaspidea are well represented on Lizard Island (33 % of all known Indo Pacific species – see Coleman 2001), but locality sites with high abundance of macroalgae have hardly been investigated, especially the *Halimeda* habitats in front of Bird Island.

58 sacoglossan species are recorded by Coleman (2001) from the Indo Pacific and Gosliner's (1992) numbers from Papua New Guinea are even higher. Twenty-one species are now recorded from Lizard Island with probably four undescribed species (Figure 4).

Tylochinoidea are only known from very few species (about 15 worldwide), and only two species (*Tylochona corticalis*, *Umbraculum umbraculum*) are recorded from Australian waters (Willan 1998). None of them were found on Lizard Island.

The highest species numbers in the Indo-Pacific are given for the Doridoidea (Coleman 2001: 420 species) and this taxon also shows the highest diversity on Lizard Island with 66 species,

representing 16% of recorded Indo-Pacific dorids. Nevertheless, compared to other areas, this number is low. A thorough investigation of the sponge fauna might reveal many more species, especially cryptic ones.

The number of dendronotoidean (3) and arminioidean (3) species is low, whereas aeolidoideans are represented with more species (23). This is in line with the studies on other sites. Some *Dermatobranchus* species (Arminidae) are known to house zooxanthellae (Wägele and Johnsen 2001), and were specially looked for during one project on "solarpowered" seastslugs. The new *Dermatobranchus* species found in low depths down to 5 m was very small (less than 10 mm) and highly cryptical due to the stored zooxanthellae.

This study is the base for further investigation on the opisthobranch biodiversity on a site, which lies between well studied areas in the South of the Great Barrier Reef (Heron Island) and the tropical Islands north of Australia (e.g. Papua New Guinea).

#### ACKNOWLEDGEMENTS

We would like to thank following diving and collecting partners during the different field trips: Wolfgang, Leonard and Richard Wägele (Bochum, Germany), Jon and Nicola Brodie (Townsville, Australia), Shireen Fahey (Brisbane, Australia), Nico K. Michiels (Tübingen, Germany), Geir Johnsen (Trondheim, Norway), Annika Putz (Tübingen, Germany). We also thank Alex Cheroske (Baltimore, USA), Short Chiou (Baltimore, USA), Michael Berumen (Townsville, Australia) and Onno Gross (Hamburg, Germany) for providing us with material.

We wish to express our sincere thanks to the directors of Lizard Island Research Station, Anne Hoggett and Lyle Vail, for their tremendous help and support and to their staff Tania and Bob Lamb, as well as Marianne and Lance Pearce. Richard Willan (Darwin) kindly helped in identification of several species.

This study was supported by the German Science Foundation (DFG) to Heike Wägele and Ingo Burghardt (Wa 618/5, Wa 618/6 and Wa 618/8: SPP 1127) and Nils Anthes (Mi 482/7-2). Further support came from the Deutscher Akademischer Austauschdienst (DAAD) to Nils Anthes (D/02/28302), Freunde und Förderer der Ruhr-Universität Bochum to Annette Klussmann-Kolb, the Department of Marine Biology (JCU) to Gilianne Brodie and the Australian Biological Resources Study (ABRS) to Gilianne Brodie and Heike Wägele. Jussi Evertson was supported by the Norwegian Science Foundation (NFR 153790/120). The manuscript is contribution number 25 of the Marine Invertebrate Group at James Cook University.

## REFERENCES

- Anthes, N., Putz, A. and Michiels, N. K. (2005). Gender trading in a hermaphrodite. *Current Biology* 15: R792–R793.
- Anthes, N., Putz, A. and Michiels, N. K. (2006). Hermaphrodite sex role preferences: the role of partner body size, mating history and female fitness in the sea slug *Chelidonura sandrana*. *Behavioural Ecology and Sociobiology* 60, in press (doi 10.1007/s00265-006-0173-5).
- Anthes, N. and Michiels, N. K. (2005). Do "sperm trading" simultaneous hermaphrodites always trade sperm? *Behavioral Ecology* 16: 188–195.
- Bouchet, P., Lozouet, P., Maestrati, P. and Heros, V. (2002). Assessing the magnitude of species richness in tropical marine environments: exceptionally high numbers of molluscs at a New Caledonia site. *Biological Journal of the Linnean Society* 75: 421–436.
- Brodie, G.D. and Brodie, J.E. (1990). A checklist of the opisthobranch molluscs of Fiji. *Journal of the Malacological Society of Australia* 11: 53–63.
- Brodie, G.D. and Brodie, J.E. (1995). Species diversity and habitat selection in opisthobranch gastropods on two adjacent reefs in Fiji. *South Pacific Journal of Natural Science* 14: 97–113.
- Burghardt, I. and Wägele, H. (2006). Interspecific differences in the efficiency and photosynthetic characteristics of the mutualistic symbiosis of "solarpowered" Nudibranchia (Mollusca: Gastropoda) with zooxanthellae. *Records of the Western Australian Museum Supplement* 69: 1–9.
- Burghardt, I., Evertsen, J., Johnsen, G. and Wägele, H. (2005). Mutualistic symbiosis of aeolid Nudibranchia (Mollusca, Gastropoda, Opisthobranchia) with zooxanthellae of the genus *Symbiodinium*. *Symbiosis* 38: 227–250.
- Chadwick, V. and Green, A. (2002). Managing the Great Barrier Reef Marine Park and World Heritage Area through Critical Issues Management: Science and Management. In: Moosa *et al.* (eds.) *Proceedings of the 9th International Coral Reef Symposium*. October, 2000, Bali, Indonesia. 2: 681–686.
- Coleman, N. (2001): 1001 Nudibranchs. Catalogue of Indo-Pacific Sea slugs. Neville Coleman's Underwater Geographic Pty Ltd. 144 pp.
- Done, T.J., Ogden, J.C., Wiebe, W.J. and Rosen, B.R. (1996). Biodiversity and ecosystem function of coral reefs. pp. 393–429. In: Heywood VH (ed) Global biodiversity assessment. Cambridge University Press for United Nations Environment Programme, 1152 p.
- Gosliner, T.M. (1992). Biodiversity of tropical opisthobranch gastropod faunas. Proceedings of the 7th International Coral Reef Symposium, Guam, 2: 702–709.
- Gosliner, T.M. and Draheim, R. (1996). Indo-Pacific opisthobranch gastropod biogeography: how do we know what we don't know? *American Malacological Bulletin* 12: 37–43.
- Johnson, S. and Boucher, L.M. (1983). Notes on some Opisthobranchia (Mollusca: Gastropoda) from the Marshall Islands including 57 new records. *Pacific Science* 37: 251–291.
- Marshall, J.G. and Willan, R.C. (1999). *Nudibranchs of Heron Island, Great Barrier Reef*. Backhuys Publishers Leiden. 257 pp
- Mikkelsen, P.M. (1996). The evolutionary relationships of Cephalaspidea s.l. (Gastropoda: Opisthobranchia): a phylogenetic analysis. *Malacologia* 37: 375–442.
- Mikkelsen, P.M. (2002). Shelled opisthobranchs. *Advances in Marine Biology* 42: 67–136.
- Mikkelsen, P.M. and Cracraft, J. (2001). Marine biodiversity and the need for systematic inventories. *Bulletin of Marine Science* 69: 525–534.
- Vonnemann, V., Schrödl, M., Klussmann-Kolb, A. and Wägele, H. (2005). Reconstruction of the phylogeny of the Opisthobranchia (Mollusca, Gastropoda) by means of 18S and 28S rRNA gene sequences. *Journal of Molluscan Studies* 71: 113–125.
- Wägele, H., Vonnemann, V. and Wägele J.W. (2003). Toward a phylogeny of the Opisthobranchia. 185–228 In: Lydeard, C. and Lindberg, D. (eds.) *Molecular systematics and phylogeography of mollusks*. Smithsonian Institution Press. 312 pp.
- Wägele, H. and Johnsen, G. (2001). Observations on the histology and photosynthetic performance of "solar-powered" opisthobranchs (Mollusca, Gastropoda, Opisthobranchia) containing symbiotic chloroplasts or zooxanthellae. *Organisms, Diversity and Evolution* 1: 193–210
- Wägele, H. (2004). Potential key characters in Opisthobranchia (Gastropoda, Mollusca) enhancing adaptive radiation. *Organisms, Diversity and Evolution* 4: 175–188.
- Wägele, H. and Klussmann-Kolb, A. (2005). Opisthobranchia (Mollusca, Gastropoda) – more than just slimy slugs. Shell reduction and its implications on defence and foraging. *Frontiers in Zoology* 2: 3.
- Wells, F.E. and C.W. Bryce (2000). *Sea slugs of Western Australia*. A guide to species from the Indian to the Wes Pacific Oceans. Western Australian Museum, Perth. 184 pp.
- Willan, R.C. and Coleman, N. (1984). *Nudibranchs of Australasia*. National Library of Australia. 56 pp.
- Willan, R.C. (1998). Order Notaspidea. Pp 977–980 in Beesley, P.L., Ross, G.J.B. and Wells, A. (eds) *Mollusca: The Southern Synthesis*. Fauna of Australia. Vol. 5. CSIRO Publishing: Melbourne, Part B viii 565–1234 pp.