

## An unusual button-form australite from Earraheedy Station, Western Australia

W.H. Cleverly

Western Australian School of Mines, P.O. Box 597, Kalgoorlie, Western Australia 6430

Australites collected from No.1 Marracoonda Paddock, which is centred 25°52'S, 121°53'E on Earraheedy Station, include an unusual form of button (Figure 1A-D). Flange has developed outward and unevenly instead of coiling backward from the direction of flight into a regular toroidal form. The dimensions of the button are 14.0-16.0 mm diameter x 7.1 mm thick and the weight is 1.51 grams.

The outwardly directed flange (Figure 1B) characterizes buttons of the unusual type studied by Chapman (1964), who reproduced similar shapes from glycerine glass in wind tunnel experiments and enunciated the aerodynamics.

Unlike the two buttons studied by Chapman, the Earraheedy button has no obvious flow ridges upon the anterior surface of flight (Figure 1D). However, the edge of the anterior surface has superimposed scallops (Figure 1C), and the low, eyebrow-like ridges bordering the scallops probably constituted a single, almost circumferential flow ridge of peculiarly scalloped shape.

The Earraheedy australite experienced a smaller ratio of body force to aerodynamic force (Chapman 1964) than the other known examples of its type, and has therefore a less exaggerated extension of the flange.

The type buttons and the one from Earraheedy Station are the only three on record but the form might not be as rare as would appear. Additional specimens could have been misidentified and dismissed as "button cores" i.e., buttons of the common type from which weakly attached flange had broken away. The deceptive similarity of the posterior surfaces of flight is illustrated by the Earraheedy button (Figure 1A) and a "button core" in the same collection from No.1 Marracoonda Paddock (Figure 1E). The anterior surface of the button (Figure 1D) shows that the irregular outline is a consequence of the different extents of the melt streams and not a consequence of fracture.

One of the type buttons was found within an area spanning the eastern half of the South Australia/Northern Territory border; the other was found near Gladstone, Tasmania. Those find sites and No.1 Marracoonda Paddock are within the two sectors of occurrence of very heavy

australites (Cleverly and Scrymgour 1978), but as there are only three known specimens, this distribution might be fortuitous.




Figure 1 Two australites from Earraheedy Station. Scales are a centimetre divided into millimetres. A-D: Unusual button form. A: Posterior surface of flight showing deceptively broken-looking outline. B: Side view with direction of flight towards bottom of page showing stubby, outwardly directed flange. C: Oblique view of anterior surface showing three of the peripheral scallops with marginal flow ridge. D: Anterior surface of flight showing tendency to petaled shape. E: "Button core", posterior surface with broken outline resulting from loss of flange.

**ACKNOWLEDGEMENT**

The late Mr M.K. Quartermaine kindly lent me the australites from his collection and also processed my photographs (Figure 1).

**REFERENCES**

Chapman, D.R. (1964). On the unity and origin of the

Australasian tektites. *Geochimica et Cosmochimica Acta* **28**: 841-880.

Cleverly, W.H. and Scrymgour, J.M. (1978). Australites of mass greater than 100 grams from South Australia and adjoining states. *Records of the South Australian Museum* **17**: 321-330.

---

*Manuscript received 13 September 1995; accepted 2 February 1996.*

# CONTENTS VOLUME 17

## Part 1

<b>D.J. Kitchener, L.H. Schmitt, P. Strano, A. Wheeler and A. Suyanto</b> Taxonomy of <i>Rhinolophus simplex</i> Andersen, 1905 (Chiroptera: Rhinolophidae) in Nusa Tenggara and Maluku, Indonesia	1
<b>W.F. Humphreys and M.N. Feinberg</b> Food of the blind cave fishes of northwestern Australia	29
<b>J.A. Long</b> A new groenlandaspidid arthrodire (Pisces; Placodermi) from the Middle Devonian Aztec Siltstone, southern Victoria Land, Antarctica	35
<b>D.J. Kitchener and I. Maryanto</b> A new species of <i>Melomys</i> (Rodentia, Muridae) from Yamdena Island, Tanimbar group, Eastern Indonesia	43
<b>A.W.R. Bevan, E.M. Shoemaker and C.S. Shoemaker</b> Metallography and thermo-mechanical treatment of the Veevers (IIAB) crater-forming iron meteorite	51
<b>D.J. Kitchener, W.C. Packer and Maharadatunkamsi</b> Morphological variation in <i>Pteropus lombocensis</i> (Chiroptera: Pteropodidae) in Nusa Tenggara, Indonesia	61
<b>V.L.R. Clarke and R.A. How</b> Body dimensions in <i>Simoselaps</i> and <i>Vermicella</i> (Elapidae): a method for determining sex in natural populations	69
<b>G.B. Trotter</b> Military firearms in colonial Western Australia: their issue and marking	73
<b>T.M. Berra and G.R. Allen</b> Inability of salamanderfish, <i>Lepidogalaxias salamandroides</i> , to tolerate hypoxic water	117
<b>J.B. Hutchins, D.McB. Williams, S.J. Newman, M. Cappel and P. Speare</b> New records of fishes for the Rowley Shoals and Scott/Seringapatam Reefs, off north-western Australia	119

## Part 2

<b>D.J. Kitchener, W.C. Packer and A. Suyanto</b> Systematic review of <i>Nyctimene cephalotes</i> and <i>N. albiventer</i> (Chiroptera: Pteropodidae) in the Maluku and Sulawesi regions, Indonesia	125
<b>J.A. Long</b> A theropod dinosaur bone from the Late Cretaceous Molecap Greensand, Western Australia	143
<b>D.J. Kitchener and I. Maryanto</b> Small <i>Pteropus</i> (Chiroptera: Pteropodidae) from Timor and surrounding islands, Indonesia	147
<b>L.M. Roth</b> New species and records of cockroaches from Western Australia (Blattaria)	153
<b>M. Peterson</b> A new <i>Catasarcus</i> species (Coleoptera: Curculionidae: Entiminae) from the Shark Bay – Kalbarri region of Western Australia	163
<b>W.H. Cleverly</b> Australites from Earahedy Station, Western Australia with notes on australites from the nearby Glenayle Station	169
<b>G.R. Allen</b> A new species of Cardinalfish ( <i>Apogon</i> : Apogonidae) from northwestern Australia	177

<b>I. Lansbury</b> Notes on the Corixidae and Notonectidae (Hemiptera; Heteroptera) of southern Western Australia	181
<b>D.J. Kitchener, N. Cooper and I. Maryanto</b> The <i>Myotis adversus</i> (Chiroptera: Vespertilionidae) species complex in Eastern Indonesia, Australia, Papua New Guinea and the Solomon Islands	191
<b>D.J. Kitchener and A. Suyanto</b> Morphological variation in Bearded Tomb Bats ( <i>Taphozous</i> ) in Maluku Tenggara and Nusa Tenggara Timur, Indonesia	213
<b>I. Bartsch</b> A new tegastid (Tegastidae: Harpacticoida: Copepoda) from southwestern Australia: <i>Syngastes dentipes</i> sp. nov.	221
<b>G.B. Trotter</b> The Colt Model 1851 Navy revolver and its purchase by the Western Australian Police Force	227
<b>H.S. Gill and P. Humphries</b> An experimental evaluation of habitat choice in three species of goby (Pisces: Gobiidae)	231
<b>G.R. Allen and M. Cowan</b> First record of the False Catshark, <i>Pseudotriakis microdon</i> , from Australian waters	235

### Part 3

<b>G.J. Keighery, N. Gibson, K.F. Kenneally and A.A. Mitchell</b> Biological inventory of Koolan Island, Western Australia 1. Flora and vegetation	237
<b>N.L. McKenzie, L. Fontanini, N.V. Lindus and M.R. Williams</b> Biological inventory of Koolan Island, Western Australia 2. Zoological notes	249
<b>G.R. Brown</b> Revision of the Australian wasp genus <i>Macrothynnus</i> Turner (Hymenoptera: Tiphiidae: Thynninae)	267
<b>P.C. Withers</b> Evaporative water loss and colour change in the Australian desert tree frog <i>Litoria rubella</i> (Amphibia: Hylidae)	277
<b>G.R. Allen and A. Rajasuriya</b> <i>Chrysiptera kuiteri</i> , a new species of Damsel fish (Pomacentridae) from Indonesia and Sri Lanka	283
<b>J.A. Long and G.C. Young</b> Sharks from the Middle-Late Devonian Aztec Siltstone, southern Victoria Land, Antarctica, and southeastern Australia	287
<b>D.J. Kitchener and Maharadatunkamsi</b> The <i>Hipposideros bicolor</i> group (Chiroptera: Hipposideridae) from Sumbawa Island, Nusa Tenggara, Indonesia	309
<b>K.J. McNamara</b> The spatangoid echinoid <i>Schizaster</i> ( <i>Schizaster</i> ) <i>compactus</i> (Koehler, 1914) in Western Australia	315
<b>L.E.L.M. Crowley, W. Ivantsoff and G.R. Allen</b> Description of a new species of hardyhead, <i>Craterocephalus fistularis</i> , (Pisces: Atherinidae) from Irian Jaya	325
<b>C.J. Burrow</b> Acanthodian dental elements from the Trundle beds (Lower Devonian) of New South Wales	331
<b>T.F. Houston</b> Notes on the ethology of <i>Rolandia maculata</i> (Hymenoptera: Vespidae: Masarinae), a pollen wasp with a psammophore	343
<b>L.A. Smith</b> A new <i>Diplodactylus</i> , subgenus <i>Strophurus</i> (Lacertilia: Gekkonidae) from northern Australia	351

## Part 4

### **B.Y. Main**

Biosystematics of Australian mygalomorph spiders: description of a new species of *Missulena* from southwestern Australia (Araneae: Mygalomorphae: Actinopodidae) 355

### **M.S. Harvey**

A review of the water mite family Pionidae in Australia (Acarina: Hygrobatoidae) 361

### **J.H. Bradbury and W.D. Williams**

Two new species of anchialine amphipod (Crustacea: Hadziidae: *Liagoceradocus*) from Western Australia 395

### **R.E. Jones**

A new genus of centipede, *Australoschendyla* (Chilopoda: Geophilomorpha: Schendylidae), from Western Australia 411

### **A.M. De Pomeroy**

Biostratigraphy of Devonian microvertebrates from Broken River, North Queensland 417

### **G.R. Allen and S.M. Morrison**

A new species of Cardinalfishes (Apogonidae) from northern Australia 439

### **M.S. Harvey**

Two new species of the water mite genus *Penemideopsis* from Western Australia (Acarina: Mideopsidae) 443

### **W.A. Shear and W.F. Humphreys**

A new *Stygiochiropus* from a North West Cape (Western Australia) coastal plain cave (Diplopoda: Polydesmida: Paradoxosomatidae) 447

### **H. Hoch**

A new cavernicolous planthopper of the family Meenoplidae from New Caledonia (Hemiptera: Fulgoroidea) 451

### **W.A. Shear**

*Hesperopilio mainae*, a new genus and species of harvestman from Western Australia (Opiliones: Caddidae: Acropsopilioninae) 455

### **W.H. Cleverly**

An unusual button-form australite from Earahedy Station, Western Australia 461

## INDEX TO AUTHORS

Allen, G.R. ....	117, 177, 235, 283, 325, 439
Bartsch, I. ....	221
Berra, T.M. ....	117
Bevan, A.W.R. ....	51
Bradbury, J.H. ....	395
Brown, G.R. ....	267
Burrow, C.J. ....	331
Cappo, M. ....	119
Clarke, V.L.R. ....	69
Cleverly, W.H. ....	169, 461
Crowley, L.E.L.M. ....	325
Cooper, N. ....	191
Cowan, M. ....	235
De Pomeroy, A.M. ....	417
Feinberg, M.N. ....	29
Fontanini, L. ....	249
Gibson, N. ....	237
Gill, H.S. ....	231
Harvey, M.S. ....	361, 443
Hoch, H. ....	451
Houston, T.F. ....	343
How, R.A. ....	69
Humphreys, W.F. ....	29, 447
Humphries, P. ....	231
Hutchins, J.B. ....	119
Ivantsoff, W. ....	325
Jones, R.E. ....	411
Keighery, G.J. ....	237
Kenneally, K.F. ....	237
Kitchener, D.J. ....	1, 43, 61, 125, 147, 191, 213, 309
Lansbury, I. ....	181
Lindus, N.V. ....	249
Long, J.A. ....	35, 143, 287
Maharadatunkamsi ....	61, 309
Main, B.Y. ....	355
Maryanto, I. ....	43, 147, 191
McKenzie, N.L. ....	249
McNamara, K.J. ....	315
Mitchell, A.A. ....	237
Morrison, S.M. ....	439
Newman, S.J. ....	119
Packer, W.C. ....	61, 125
Peterson, M. ....	163
Rajasuriya, A. ....	283
Roth, L.M. ....	153
Schmitt, L.H. ....	1
Shear, W.A. ....	447, 455
Shoemaker, C.S. ....	51
Shoemaker, E.M. ....	51
Smith, L.A. ....	351
Speare, P. ....	119
Strano, P. ....	1
Suyanto, A. ....	1, 125, 213
Trotter, G.B. ....	73, 227
Wheeler, A. ....	1
Williams, D.McB. ....	119
Williams, M.R. ....	249
Williams, W.D. ....	395
Withers, P.C. ....	277
Young, G.C. ....	287

## Guide to Authors

### Subject Matter:

Reviews, observations and results of research into all branches of natural science and human studies will be considered for publication. However, emphasis is placed on studies pertaining to Western Australia. Longer papers will be considered for publication as a Supplement to the *Records of the Western Australian Museum*. Short communications should not normally exceed three typed pages and this category of paper is intended to accommodate observations, results or new records of *significance*, that otherwise might not get into the literature, or for which there is a particular urgency for publication. All material must be original and not have been published elsewhere.

### Presentation:

Authors are advised to follow the layout and style in the most recent issue of the *Records of the Western Australian Museum* including headings, tables, illustrations and references.

The title should be concise, informative and contain key words necessary for retrieval by modern searching techniques. An abridged title (not exceeding 50 letter spaces) should be included for use as a running head.

An abstract must be given in full length papers but not short communications, summarizing the scope of the work and principal findings. It should normally not exceed 2% of the paper and should be suitable for reprinting in reference periodicals.

The International System of units should be used.

Numbers should be spelled out from one to nine in descriptive text; figures used for 10 or more. For associated groups, figures should be used consistently, e.g. 5 to 10, not five to 10.

Spelling should follow the *Concise Oxford Dictionary*.

Systematic papers must conform with the International Codes of Botanical and Zoological Nomenclature and, as far as possible, with their recommendations.

Synonymies should be given in the short form (taxon, author, date, page) and the full reference cited at the end of the paper. All citations, including those associated with scientific names, must be included in the references.

### Manuscripts:

The original and two copies of manuscripts and figures should be submitted to the Editors, c/- Publications Department, Western Australian Museum, Francis Street, Perth, Western Australia 6000. They must be in double-spaced typescript on A4 sheets. All margins should be at least 30 mm wide. Tables plus heading and legends to illustrations should be typed on separate pages. The desired position for insertion of tables and illustrations in the text should be indicated in pencil. Tables should be numbered consecutively, have headings which make them understandable without reference to the text, and be referred to in the text.

High quality illustrations are required to size (16.8 cm x 25.2 cm) or no larger than 32 cm x 40 cm with sans serif lettering suitable for reduction to size. Photographs must be good quality black and white prints, not exceeding 16.8 cm x 25.2 cm. Scale must be indicated on illustrations. All maps, line drawings, photographs and graphs, should be numbered in sequence and referred to as Figure/s in the text and captions. Each must have a brief, fully explanatory caption. On acceptance an IBM compatible disk containing all corrections should be sent with amended manuscript. The disk should be marked with program (e.g. WordPerfect, Wordstar, etc).

In papers dealing with historical subjects references may be cited as footnotes. In all other papers references must be cited in the text by author and date and all must be listed alphabetically at the end of the paper. The names of journals are to be given in full.

### Processing:

Papers and short communications are reviewed by at least two referees and acceptance or rejection is then decided by the editors.

The senior author is sent one set of page proofs which must be returned promptly.

The senior author will receive fifty free offprints of the paper. Additional offprints can be ordered at page proof stage.

## CONTENTS

- B.Y. Main**  
Biosystematics of Australian mygalomorph spiders: description of a new species of *Missulena* from southwestern Australia (Araneae: Mygalomorphae: Actinopodidae) 355
- M.S. Harvey**  
A review of the water mite family Pionidae in Australia (Acarina: Hygrobatoidea) 361
- J.H. Bradbury and W.D. Williams**  
Two new species of anchialine amphipod (Crustacea: Hadziidae: *Liagoceradocus*) from Western Australia 395
- R.E. Jones**  
A new genus of centipede, *Australoschendyla* (Chilopoda: Geophilomorpha: Schendylidae), from Western Australia 411
- A.M. De Pomeroy**  
Biostratigraphy of Devonian microvertebrates from Broken River, North Queensland 417
- G.R. Allen and S.M. Morrison**  
A new species of Cardinalfishes (Apogonidae) from northern Australia 439
- M.S. Harvey**  
Two new species of the water mite genus *Penemideopsis* from Western Australia (Acarina: Mideopsidae) 443
- W.A. Shear and W.F. Humphreys**  
A new *Stygiochiropus* from a North West Cape (Western Australia) coastal plain cave (Diplopoda: Polydesmida: Paradoxosomatidae) 447
- H. Hoch**  
A new cavernicolous planthopper of the family Meenoplidae from New Caledonia (Hemiptera: Fulgoroidea) 451
- W.A. Shear**  
*Hesperopilio mainae*, a new genus and species of harvestman from Western Australia (Opiliones: Caddidae: Acropsopilioninae) 455
- SHORT COMMUNICATION
- W.H. Cleverly**  
An unusual button-form australite from Earahedy Station, Western Australia 461